Journal of Organometallic Chemistry, 451 (1993) C32–C33

Author Index of Volume 451

Alper, H., 169
Aresta, M., 243
Astruc, D., C10

Barreto-Rosa, M.-M., C22
Basset, J.-M., C7
Bellina, F., 33
Bennett, M.A., 249
Bianchi, M., 139
Bianchini, C., 97
Bogdanović, B., 23
Bönnemann, H., 23
Bonnet, M.C., C22
Bordoni, S., 107
Boroni, E., 163
Botteghi, C., C18
Boukheddaden, K., C10
Bovens, M., C28
Brinkmann, R., 23
Brondani, D.J., C1
Bruneau, C., 133
Burdeniuk, J., 213
Busetto, L., 107

Cabri, W., C13
Calderazzo, F., 73
Camellini, M.T., 163
Caporusso, A.M., C4
Carpita, A., 33
Cassani, M.C., 107
Cenini, S., 157
Chamizo, J.A., 89
Cometti, G., C13
Commenges, G., C22
Console, S., 157
Corriu, R.J.P., C1
Cossi, P., 33
Couturier, J.-L., C7
Crotti, C., 157

Darensbourg, D.J., 83
De Benedetto, G.E., 73
Delville, M.-H., C10
De Wang, M., 169
Dixneuf, P.H., 133
Du vosel, A., C13

Eaborn, C., 45
El Ayoubi, S., C1

Foà, M., C13
Francalanci, F., C13

Giannoccaro, P., 243
Giarrusso, A., 67
Gouzerh, P., C10
Grove, D.M., 195

Hagedorn, F., 133
Hajela, S., 153
He, D.-W., 23
Heineke, D., 147
Hitchcock, P.B., 89

Ianelli, S., 59
Imada, Y., 183
Italia, S., 67

Jasim, H.A., 89
Jastrzebski, J.T.B.H., 195
Jeffery, J.C., 205
Jin, H., 249

Kochi, J.K., 111
Kochubey, D.I., 231
Kolomijchuk, V.N., 231
Kozitsyna, N.Y., 231
Kreisz, J., 53
Kukharenko, S.V., 153

Lappert, M.F., 89
Leconte, M., C7
Leoni, P., C25
Linarès, J., C10
Llebaria, A., 1

Magon, L., 97
Maitlis, P.M., C15
Mandai, T., 15
Manzano, B., C22
Marchetti, F., C25
Markó, L., 53
Marvelli, L., 97
Matteoli, U., 139
Menchi, G., 139
Milone, L., 153
Milstein, D., 213
Moiseev, I.I., 231
Monteiro, A.L., C22
Moreau, J.J.E., C1
Moretó, J.M., 1
Mössmer, C.M., 73
Mueller, B.L., 83
Murahashi, S.-I., 183

Nakano, M., 221
Neibecker, D., C22
Neveux, M., 133

Ollivier, J., C7
Orcesi, M., 59
Osakada, K., 221
Osella, D., 153
Ozawa, F., 221

Paganelli, S., C18
Pampaloni, G., 73
Pasquali, M., C25
Pelizzi, C., 59
Pelizzi, G., 59
Peruzzini, M., 97
Piacenti, F., 139
Poelsma, S.N., C15
Polizzi, C., C4
Porri, L., 67
Predieri, G., 59, 163
Psaro, R., 123

Ravasio, N., 243
Reibenspies, J.H., 83
Ricci, G., 67
Robert, F., C10
Roberto, D., 123
Romanelli, M.N., 45
Rosenberg, E., 153
Rossi, R., 33, 97

Salvadori, P., C4
Santi, R., C13
Schneider, D., 175
Schulz, M., 175
Seiller, B., 133
Shibata, O., 183
Singh, G., 221
Sisak, A., 53
Spliethoff, B., 23
Srivastava, R.S., 221
Stone, F.G.A., 205
Strähle, J., 73
Strelets, V.V., 153

Tiripicchio, A., 163
Tkatchenko, I., C22
Togni, A., C28
Tollari, S., 157
Topaloğlu, I., 205
Tsuji, J., 15

Ugo, R., 123
Ungváry, F., 53

Vahrenkamp, H., 147
Van Koten, G., 195
Varret, F., C10

Vedral, J.A., 195
Venanzi, L.M., C28
Vitulli, G., C4

Wehman-Ooyevaar, I.C.M., 195
Wei, C.H., 111
Werner, H., 175
Willis, A.C., 249
Wong Chi Man, M., C1
Wurst, K., 73

Yamamoto, A., 221

Zamaraev, K.I., 231
Zanobini, F., 97
Zanotti, V., 107

Subject Index of Volume 451

Aluminium

Polymerization of 1,3-dienes with the soluble catalyst system methylaluminoxanes–[$CpTiCl_3$]. Influence of monomer structure on polymerization stereospecificity (G. Ricci, S. Italia, A. Giarrusso and L. Porri), 67

Chromium

The synthesis and X-ray structure of a phenoxide-bridged heterobimetallic anion, $W(CO)_5OPh(Cr(CO)_3)^-$, and its reactivity with carbon dioxide and carbonyl sulfide (D.J. Darensbourg, B.L. Mueller and J.H. Reibenspies), 83

Cobalt

The preparation of finely divided metal powders and transition metal complexes using "organically solvated" magnesium (H. Bönnemann, B. Bogdanović, R. Brinkmann, B. Spliethoff and D.-W. He), 23

Reaction of silylcobalt tetracarbonyls with oxiranes. Kinetics and mechanism (J. Kreisz, A. Sisak, L. Markó and F. Ungváry), 53

Charge-transfer ion pairs with cationic bis(arene)iron(II) acceptors. Thermal electron-transfer catalysis of aromatic de-ligation (J.K. Kochi and C.H. Wei), 111

Phase transfer catalyzed reductive acylation of nitrogen-containing heteroaromatics with acetylcobalt tetracarbonyl (M. de Wang and H. Alper), 169

Cobalt-catalyzed methoxycarbonylation of naphthalene mono- and di-sulfonates to naphthalene mono- and di-esters (G. Cometti, A. Du vosel, F. Francalanci, R. Santi, W. Cabri and M. Foà), C13

Copper

The preparation of finely divided metal powders and transition metal complexes using "organically solvated" magnesium (H. Bönnemann, B. Bogdanović, R. Brinkmann, B. Spliethoff and D.-W. He), 23

Reactivity of double thioureas towards metal complexes. Synthesis and crystal structure of $[\{(\mu\text{-H})Ru_3(CO)_9\}_2\{SC(NPh)N(Et)(CH_2)_2NH(PhN)CS\}]$ (E. Boroni, G. Predieri, A. Tiripicchio and M.T. Camellini), 163

(Carbaborane)rhodium–copper and –manganese complexes: crystal structure of $[RhCu(PPh_3)(cod)(\eta^5\text{-}7,8\text{-}C_2B_9H_9Me_2)]$ (J.C. Jeffery, F.G.A. Stone and I. Topaloğlu), 205

Methylchloroformate synthesis *via* direct interaction of palladium di(methoxycarbonyl) complexes with $CuCl_2$: utilization in the synthesis of carbonates and carbamates (P. Giannoccaro, N. Ravasio and M. Aresta), 243

Gold

Polarizable stilbazole-based organometallic complexes and polymers (J. Burdeniuk and D. Milstein), 213

Iridium

Novel rhodate and iridate complexes containing C,N chelating arylamine ligand systems (I.C.M. Wehman-Ooyevaar, J.A. Vedral, J.T.B.H. Jastrzebski, D.M. Grove and G. van Koten), 195

Iron

The preparation of finely divided metal powders and transition metal complexes using "organically solvated" magnesium (H. Bönnemann, B. Bogdanović, R. Brinkmann, B. Spliethoff and D.-W. He), 23

Further applications of the NCO^- insertion into a C–SR bond: synthesis of the bis(μ-acylisocyanide) complex $[Fe_2(CO)_2(Cp)_2\{\mu\text{-}CNC(O)SMe\}_2]$ (L. Busetto, S. Bordoni, V. Zanotti and M.C. Cassani), 107

Charge-transfer ion pairs with cationic bis(arene)iron(II) acceptors. Thermal electron-transfer catalysis of aromatic de-ligation (J.K. Kochi and C.H. Wei), 111

Syntheses and structures of decamethylbiferrocene mono- and di-cation triiodides (M.-H. Delville, F. Robert, P. Gouzerh, J. Linarès, K. Boukheddaden, F. Varret and D. Astruc), C10

Lithium

Novel rhodate and iridate complexes containing C,N chelating arylamine ligand systems (I.C.M. Wehman-Ooyevaar, J.A. Vedral, J.T.B.H. Jastrzebski, D.M. Grove and G. van Koten), 195

Magnesium

The preparation of finely divided metal powders and transition metal complexes using "organically solvated" magnesium (H. Bönnemann, B. Bogdanović, R. Brinkmann, B. Spliethoff and D.-W. He), 23

Manganese

Charge-transfer ion pairs with cationic bis(arene)iron(II) acceptors. Thermal electron-transfer catalysis of aromatic de-ligation (J.K. Kochi and C.H. Wei), 111

(Carbaborane)rhodium–copper and –manganese complexes: crystal structure of $[RhCu(PPh_3)(cod)(\eta^5\text{-}7,8\text{-}C_2B_9H_9Me_2)]$ (J.C. Jeffery, F.G.A. Stone and I. Topaloğlu), 205

Mercury

Electrochemistry of $[\{Ru_3(CO)_9(\mu_3\text{-}\eta^2\text{-}C{\equiv}C^tBu)\}_2Hg]$ and $[Ru_3(CO)_9(\mu_3\text{-}\eta^2\text{-}C{\equiv}C^tBu)HgX]$ {X = $Re(CO)_5$ or $MoCp(CO)_3$} (D. Osella, L. Milone, S.V. Kukharenko, V.V. Strelets, E. Rosenberg and S. Hajela), 153

Metallocenes

Syntheses and structures of decamethylbiferrocene mono- and di-cation triiodides (M.-H. Delville, F. Robert, P. Gouzerh, J. Linarès, K. Boukheddaden, F. Varret and D. Astruc), C10

Molybdenum

The preparation of finely divided metal powders and transition metal complexes using "organically solvated" magnesium (H. Bönnemann, B. Bogdanović, R. Brinkmann, B. Spliethoff and D.-W. He), 23

Carbene complexes. XXII. Preparation, properties and structures of the *N,N*-functionalized bis(amino)carbenemolybdenum(0) carbonyls $[Mo(CO)_4\{CN(CH_2CH:CH_2)(CH_2)_2N(CH_2CH:CH_2)\}]$ and $+Mo(CO)_3\{CN[(CH_2)_3PPh_2](CH_2)_2N\{(CH_2)_3PPh_2\}\}_n$ (J.A. Chamizo, P.B. Hitchcock, H.A. Jasim and M.F. Lappert), 89

Electrochemistry of $[\{Ru_3(CO)_9(\mu_3\text{-}\eta^2\text{-}C{\equiv}C^tBu)\}_2Hg]$ and $[Ru_3(CO)_9(\mu_3\text{-}\eta^2\text{-}C{\equiv}C^tBu)HgX]$ {X = $Re(CO)_5$ or $MoCp(CO)_3$} (D. Osella, L. Milone, S.V. Kukharenko, V.V. Strelets, E. Rosenberg and S. Hajela), 153

Nickel

The $[Ni(CO)_4]$-promoted carbonylative cycloaddition of alkynes and allyl halides for the synthesis of 2-cyclopentenone derivatives (A. Llebaria and J.M. Moretó), 1

The preparation of finely divided metal powders and transition metal complexes using "organically solvated" magnesium (H. Bönnemann, B. Bogdanović, R. Brinkmann, B. Spliethoff and D.-W. He), 23

Palladium

Palladium-catalyzed carbonylation of 2-alkynyl carbonates and 2,3-alkadienyl carbonates (J. Tsuji and T. Mandai), 15

The preparation of finely divided metal powders and transition metal complexes using "organically solvated" magnesium (H. Bönnemann, B. Bogdanović, R. Brinkmann, B. Spliethoff and D.-W. He), 23

Metal catalyzed deoxygenation by carbon monoxide of *o*-substituted nitrobenzenes. Synthesis of 1,4-dihydro-2*H*-3,1-benzoxazin-2-one derivatives (S. Cenini, S. Console, C. Crotti and S. Tollari), 157

Reactivity of double thioureas towards metal complexes. Synthesis and crystal structure of $[\{(\mu\text{-}H)Ru_3(CO)_9\}_2\{SC(NPh)N(Et)(CH_2)_2NH(PhN)CS\}]$ (E. Boroni, G. Predieri, A. Tiripicchio and M.T. Camellini), 163

Polarizable stilbazole-based organometallic complexes and polymers (J. Burdeniuk and D. Milstein), 213

Synthesis, characterization, and carbonylation reactions of methylpalladium amide, carbamate, and alkyl carbonate complexes (R.S. Srivastava, G. Singh, M. Nakano, K. Osakada, F. Ozawa and A. Yamamoto), 221

Synthesis and characterization of platinum and palladium clusters with phosphide ligands (I.I. Moiseev, N.Y. Kozitsyna, D.I. Kochubey, V.N. Kolomijchuk and K.I. Zamaraev), 231

Methylchloroformate synthesis *via* direct interaction of palladium di(methoxycarbonyl) complexes with $CuCl_2$: utilization in the synthesis of carbonates and carbamates (P. Giannoccaro, N. Ravasio and M. Aresta), 243

Asymmetric allylic alkylation with palladium coordinated to a new optically active pyrazolylmethane ligand (M. Bovens, A. Togni and L.M. Venanzi), C28

Synthesis and X-ray crystal structure of a new palladium catalyst precursor containing an η^2-phosphinate (P. Leoni, F. Marchetti and M. Pasquali), C25

Phosphorus

Synthesis and characterization of platinum and palladium clusters with phosphide ligands (I.I. Moiseev, N.Y. Kozitsyna, D.I. Kochubey, V.N. Kolomijchuk and K.I. Zamaraev), 231

Platinum

Synthesis and characterization of platinum and palladium clusters with phosphide ligands (I.I. Moiseev, N.Y. Kozitsyna, D.I. Kochubey, V.N. Kolomijchuk and K.I. Zamaraev), 231

Preparation and X-ray structure of a platinum(II) hydroxycarbonyl, $Pt(CO_2H)\{C_6H_3(CH_2PPh_2)_2\text{-}2,6\}$, containing a *trans*-spanning, tridentate P,C,P-ligand (M.A. Bennett, H. Jin and A.C. Willis), 249

Mesitylene solvated platinum atoms as hydrosilylation catalysts (C. Polizzi, A.M. Caporusso, G. Vitulli and P. Salvadori), C4

Rhenium

Synthesis and characterization of rhenium polyhydrides stabilized by the tripodal ligand $MeC(CH_2PPh_2)_3$ (C. Bianchini, M. Peruzzini, F. Zanobini, L. Magon, L. Marvelli and R. Rossi), 97

Electrochemistry of $[\{Ru_3(CO)_9(\mu_3\text{-}\eta^2\text{-}C{\equiv}C^tBu)\}_2Hg]$ and $[Ru_3(CO)_9(\mu_3\text{-}\eta^2\text{-}C{\equiv}C^tBu)HgX]$ {X = $Re(CO)_5$ or $MoCp(CO)_3$} (D. Osella, L. Milone, S.V. Kukharenko, V.V. Strelets, E. Rosenberg and S. Hajela), 153

Rhodium

Vinylidene transition-metal complexes. XXV. Novel square-planar alkynylrhodium anions *trans*-$[RhCl(C{\equiv}CR)(P^iPr_3)_2]^-$ as precursors for alkyne, vinylidene and allene rhodium complexes (H. Werner, D. Schneider and M. Schulz), 175

Aza- and oxacarbonylations of allyl phosphates catalyzed by rhodium carbonyl cluster. Selective synthesis of β,γ-unsaturated amides, esters, and acids (Y. Imada, O. Shibata and S.-I. Murahashi), 183

Novel rhodate and iridate complexes containing C,N chelating arylamine ligand systems (I.C.M. Wehman-Ooyevaar, J.A. Vedral, J.T.B.H. Jastrzebski, D.M. Grove and G. van Koten), 195

(Carbaborane)rhodium–copper and –manganese complexes: crystal structure of $[RhCu(PPh_3)(cod)(\eta^5\text{-}7,8\text{-}C_2B_9H_9Me_2)]$ (J.C. Jeffery, F.G.A. Stone and I. Topaloğlu), 205

Rhodium catalysed hydroformylation using slim phosphate ligands to improve selectivity (S.N. Poelsma and P.M. Maitlis), C15

Hydroformylation of cinnamic acid derivatives catalyzed by rhodium complexes (C. Botteghi and S. Paganelli), C18

Carbonylation of organic allyl moieties. IV. Unexpected formation of cyclic esters from the carbonylation of alkoxyoctadienes in the presence of rhodium catalysts (M.-M. Barreto-Rosa, M.C. Bonnet, G. Commenges, B. Manzano, A.L. Monteiro, D. Neibecker and I. Tkatchenko), C22

Ruthenium

Surface organometallic chemistry: reductive carbonylation of silica-supported $RuCl_3 \cdot 3H_2O$ (D. Roberto, R. Psaro and R. Ugo), 123

Novel ruthenium-catalyzed synthesis of 1,3-dioxolan-4-ones from α-hydroxy acids and terminal alkynes *via* enol esters (M. Neveux, B. Seiller, F. Hagedorn, C. Bruneau and P.H. Dixneuf), 133

Catalytic activity of cluster ruthenium complexes: oligomerization of ethylene (M. Bianchi, G. Menchi, U. Matteoli and F. Piacenti), 139

Coupling of two alkynes with a carbon and an oxygen atom on an Ru_3 cluster (D. Heineke and H. Vahrenkamp), 147

Electrochemistry of $[\{Ru_3(CO)_9(\mu_3\text{-}\eta^2\text{-}C{\equiv}C^tBu)\}_2Hg]$ and $[Ru_3(CO)_9(\mu_3\text{-}\eta^2\text{-}C{\equiv}C^tBu)HgX]$ {X = $Re(CO)_5$ or $MoCp(CO)_3$} (D. Osella, L. Milone, S.V. Kukharenko, V.V. Strelets, E. Rosenberg and S. Hajela), 153

Metal catalyzed deoxygenation by carbon monoxide of *o*-substituted nitrobenzenes. Synthesis of 1,4-dihydro-2*H*-3,1-benzoxazin-2-one derivatives (S. Cenini, S. Console, C. Crotti and S. Tollari), 157

Reactivity of double thioureas towards metal complexes. Synthesis and crystal structure of $[\{(\mu\text{-H})Ru_3(CO)_9\}_2\{SC(NPh)N(Et)(CH_2)_2NH(PhN)CS\}]$ (E. Boroni, G. Predieri, A. Tiripicchio and M.T. Camellini), 163

Silicon

Anchimeric assistance by the γ-N_3 and γ-NCS groups in solvolysis of $(Me_3Si)_2C(SiMe_2N_3)(SiMe_2Br)$ and $(Me_3Si)_2C(SiMe_2NCS)(SiMe_2Br)$ (C. Eaborn and M.N. Romanelli), 45

Reaction of silylcobalt tetracarbonyls with oxiranes. Kinetics and mechanism (J. Kreisz, A. Sisak, L. Markó and F. Ungváry), 53

A new trialkoxysilylation reaction, the cross-coupling of (tri-isopropyloxysilyl)methyl grignard reagent with organic halides (D.J. Brondani, R.J.P. Corriu, S. El Ayoubi, J.J.E. Moreau and M. Wong Chi Man), C1

Mesitylene solvated platinum atoms as hydrosilylation catalysts (C. Polizzi, A.M. Caporusso, G. Vitulli and P. Salvadori), C4

Tin

Versatile ligand behaviour of di-2-pyridylketone 2-aminobenzoylhydrazone (Hdpa) towards $SnPh_2Cl_2$. Crystal structures of $[SnPh_2(Hdpa)Cl_2]$ and $[SnPh(dpa)Cl_2]$ (S. Ianelli, M. Orcesi, C. Pelizzi, G. Pelizzi and G. Predieri), 59

Titanium

Polymerization of 1,3-dienes with the soluble catalyst system methylaluminoxanes–$[CpTiCl_3]$. Influence of monomer structure on polymerization stereospecificity (G. Ricci, S. Italia, A. Giarrusso and L. Porri), 67

Tungsten

The synthesis and X-ray structure of a phenoxide-bridged heterobimetallic anion, $W(CO)_5OPh(Cr(CO)_3)^-$, and its reactivity with carbon dioxide and carbonyl sulfide (D.J. Darensbourg, B.L. Mueller and J.H. Reibenspies), 83

Influence of steric crowding at the heteroatom on the metathesis of functionalized olefins: the polymerization of alkylthiocyclooctenes catalyzed by a metallacyclic aryloxo(chloro)neopentylidenetungsten complex (J.-L. Couturier, M. Leconte, J.-M. Basset and J. Ollivier), C7

Vanadium

The preparation of finely divided metal powders and transition metal complexes using "organically solvated" magnesium (H. Bönnemann, B. Bogdanović, R. Brinkmann, B. Spliethoff and D.-W. He), 23

Bis(arene)vanadium(0) complexes as a source of vanadium(II) derivatives by both disproportionation of the $[V(\eta^6\text{-arene})_2]^+$ cations and oxidation of $[V(\eta^6\text{-arene})_2]$ (F. Calderazzo, G.E. De Benedetto, G. Pampaloni, C.M. Mössmer, J. Strähle and K. Wurst), 73

Zinc

The preparation of finely divided metal powders and transition metal complexes using "organically solvated" magnesium (H. Bönnemann, B. Bogdanović, R. Brinkmann, B. Spliethoff and D.-W. He), 23

Palladium-catalyzed reaction between aryl or alkenyl halides and (1-carbalkoxy-1-alkenyl)zinc iodides. A new class of unmasked β-substituted acrylate α-anion equivalents (R. Rossi, A. Carpita, F. Bellina and P. Cossi), 33